

PRODUCT COMPARISON CHARTS TABLES AND REPORTS

TABLE OF CONTENT:


1. PORTABLE EXTINGUISHERS	PAGE 2-8
2. FireStopper® CONCENTRATES	PAGE 9
3. FRACKING VIDEO APPLICATION REPORT*	PAGE 10-11
4. AVIATION EXTINGUISHER APPLICATION REPORT**	PAGE 12-14

****PRODUCT EFFICACY COMPARISON FireStopper® XL FFC vs. Tyco/Chemguard***

***“Fracking Pump Vehicle Protection Flammable Area Simulation
(Commissioned by Lewis Energy Group)***

*****PRODUCT EFFICACY COMPARISON FireStopper® Extinguisher Aviation Cockpit Application
(Commissioned by Robinson Helicopters)***

Comparison With Other Products:

 FIRESTOPPER®	<i>Dry Powder**</i>	<i>Gas (CO₂)</i>	<i>Wet Chem</i>
NON-TOXIC "GREEN"	Toxic	Toxic	Low Order Acute Toxicity
NON-CORROSIVE	Very Corrosive	Asphyxiant, Irritant, Oxidizer	Corrosive
CLEAN AGENT (Easy Clean-Up)	Impossible To Clean	Use In Well Ventilated Area	Must Be Cleaned
NON-IRRITANT (SKIN & EYE)	Irritant: Inhaling May Cause Serious Harm	Gas (Harmful If Inhaled) Eye Irritant – Skin: Frostbite, Blister	Skin & Eye Irritant, May Damage Eye
ENVIRONMENTALLY SAFE	Does Not Biodegrade	Greenhouse Gas/Ozone Depleter	N/A (Not Studied)
LIGHT & EASY TO OPERATE	Heavy & Hazardous If Indoors	Heavy & Hazardous If Indoors	Heavy; Large Quantity: 6-Liter And Above
EFFECTIVE FIRE CLASS: A-B-C-D-K	Fire Class: A-B-C; Class "D" (Separate Product)	Effective Fire Class: B-C	A, K
ENVIRO-SAFE® (FOAMING AQUEOUS AGENT)	Varied Chemical Powders	CO ₂ Gas (Carbon Dioxide) Ozone Depleter	A Potassium salt and water mixture
EXTREME RETARDANT PROPERTIES	None	None	N/A
CLASS K (COOKING FATS & OILS)	Not Rated Nor Qualified	Not Rated Nor Qualified	Rated: 6-Liter & 2.5 Gal.
FIRST & ONLY OF ITS KIND IN THE WORLD	Old Technology (Over 100 Yrs.)	Old Technology	Old Tech.
ALL STAINLESS STEEL BODY (REFILLABLE)	Aluminum/Plastic (Disposable)	Aluminum, Brass Valve, Steel Handle	ALL STAINLESS STEEL BODY (Refillable)
DISCHARGE DISTANCE: 8 – 10 FT.	*(711-A Kidde Product) 5 Ft.	5 – 7 Ft.	8 – 12 Ft.
FREEZE RESISTANT: –100°F	–60°F	N/A	–20°F
20-YEAR WARRANTY	12-Year	5-Year	6-Years

***** Please note: although Kidde was able to meet UL711-A in order to make the Kitchen representation, this product by virtue of what it clearly is, brings with it to market tremendous contingent liabilities to the retailer from end users, e.g.: corrosiveness, inability to cool the flammable media, which may expose the user to the danger of reignition. In addition, there is a great potential for possible health implications of its use should the end user inhale the micro particles inherent in the product.***

RESIDENTIAL PRODUCT LINE (Initial Unit Pricing)

MODEL	MSRP	EC Rating/UL Rating*/^
PFE-101 (400-ml fog)	89.99	UL: 1B, C, K EC: 3A, 21B, D, 25F
PFE-102 (400-ml foam)	99.99	UL: 2B, C, K EC: 3A, 21B, D, 25F
PFE-103 CAVS (1-liter fill) Fog style	149.99	UL: 2B, C, K (1A^, D^) EC: 5A, 55B, D, 40F
PFE-103 CAV (1-liter fill) Foam style	159.99	UL: 2B, C, K (1A^, D^) EC: 5A, 55B, D, 40F
PFE-1LRS (1500-ml fog)	189.99	UL: 5B, C, D^, K* (1A^) EC: 8A, 89B, D, 75F
PFE-1LCF (1500-ml foam)	199.99	UL: 5B, C, D^, K* (1A^) EC: 8A, 89B, D, 75F

^ These test for ratings are pending for Listing with UL



FireStopper® Unit Price vs. Economic Correlations

Model: PFE-101/PFE-102 (400ML)

Rated: 1B (2B w/foam nozzle) C, K

An All Stainless Steel Kitchen Appliance

(The images are in approximate ratio)



**REFILLABLE
NON-TOXIC
NON-IRRITANT
NON-CORROSIVE
MSRP: \$89.99**

***PFE-1LCS: \$99.99
(Not Pictured)**



=



+



+



***KIDDE: 711A K
DISPOSABLE
VERY CORROSIVE
TOXIC & IRRITANT
NOT RATED K
\$19.97**

***Note: website omit
corrosiveness of the
product in addition to
toxicity with all ABC
dry Chem products**

**KIDDE: 2B, C
DISPOSABLE
VERY CORROSIVE
TOXIC & IRRITANT
NOT RATED K
\$15.97**

**CLASS "D" EXTINGUISHER
WEIGHT: 53 lbs.
HIGHT: 32 in
COST: \$703.00 + 87.36
S&H AMAZON: Amerex
#B571REFILLABLE**

TOTAL COST: \$826.30

Model: PFE-103CAVS/PFE-103CAVF* (1-Liter)

Rated: >2B C, K

An All Stainless Steel All Purpose Appliance

(The images are in approximate ratio)



**REFILLABLE
NON-TOXIC
NON-IRRITANT
NON-CORROSIVE
MSRP: \$149.99**

***PFE-1LCS: \$159.99
(Not Pictured)**

=



**KIDDE: 5B, C
DISPOSABLE
VERY CORROSIVE
TOXIC & IRRITANT
NOT RATED K
\$17.88**

+



**Ansul K-Guard
(UL711 K-Rated)
\$199.00**

+



**CLASS "D" Amerex
#B571REFILLABLE
EXTINGUISHER
WEIGHT: 53 lbs.
HEIGHT: 32 in
AMAZON: \$703.00 + S&H: \$87.36**

TOTAL COST: \$1,007.24

Model: PFE-1LR/1LCS* (1.5-LITER)
ALL FIRE CLASS EFFECTIVE (ABCDK)
UL711 Rated: 5B, C, K (Commercial Rated)
An All Stainless Steel Kitchen Appliance
20-yr. Ltd. Warranty



=



+



+



REFILLABLE
NON-TOXIC
NON-IRRITANT
NON-CORROSIVE
MSRP: \$199.99

***PFE-1LCS: \$189.99**
(Not Pictured)

Ansul K-Guard
(UL711 K-Rated)
\$199.00

KIDDE: 5B, C
DISPOSABLE
VERY CORROSIVE
TOXIC & IRRITANT
NOT RATED K
\$17.88

CLASS "D" Amerex
#B571REFILLABLE
EXTINGUISHER
WEIGHT: 53 lbs.
HIGHT: 32 in
AMAZON: \$703.00 + S&H: \$87.36

TOTAL COST: \$1,007.24

**PORTABLE EXTINGUISHER COMPARISON
WITH ABC DRY CHEMICAL EXTINGUISHERS**

*WARRANTY MODEL	FireStopper® VOL./SIZE WT.	CLASS “A” COVERAG E	CLASS “B” COVERAGE	C-RATED 100KV	EFFECTIVE/ RATED “D”	CLASS “K” COVERAGE	COST-TBD (MSRP)
PFE-101	400-ml/1-lbs.	5280-in ³	7-ft ²	YES	YES	25-Liters	\$89.99
PFE-102	400-ml/1-lbs.	5280-in ³	7-ft ²	YES	YES	25-Liters	\$99.99
PFE-103CAVS	1-Liter/2.7-lbs.	8360-in ³	18.5-ft ²	YES	YES	40-Liters	\$149.99
PFE-103-CAV	1-Liter/2.7-lbs.	8360-in ³	18.5-ft ²	YES	YES	40-Liters	\$159.99
PFE-1LRS	1.5-Liter/4-Lbs.	13860-in ³	30-ft ²	YES	YES	75-Liters	\$189.99
PFE-1LR	1.5-Liter/4-Lbs.	13860-in ³	30-ft ²	YES	YES	75-Liters	\$199.99
PFE-3LCS	3-Liter/8-Lbs.	22528-in ³	>48.6-ft ²	YES	YES	>75-liters	\$219.99
PFE-3LC	3-Liter/8-Lbs.	22528-in ³	>48.6-ft ²	YES	YES	>75-liters	\$239.99
PFE-6LCS	6-Liter/16-Lbs.	36388-in ³	>62-ft ²	YES	YES	>75-liters	\$279.99
PFE-6LC	6-Liter/16-Lbs.	36388-in ³	>62-ft ²	YES	YES	>75-liters	\$299.99
PFE-10LCS	10-Liter/27-Lbs.	46640-in ³	>79-ft ²	YES	YES	>75-liters	\$389.99
PFE-10LC	10-Liter/27-Lbs.	46640-in ³	>79-ft ²	YES	YES	>75-liters	\$409.99

*All FireStopper® Products Carry 20-year Limited Warranty

AVAILABLE KIDDE CONSUMER PRODUCTS & ANSUL COMMERCIAL PRODUCTS

ABC DRY CHEM (wt.)	WARRANTY	CLASS “A” COVERAGE	CLASS “B” COVERAGE	“C” RATED 100KV	EFFECTIVE/ RATED “D”	CLASS “K” COVERAGE	*COST/ ^MSRP
Kidde ¹ : 2.5lbs	12-Yrs.	NONE	NONE	NO	NO	<2-Liter	\$20.00
Kidde PRO	6-Yrs.	8000-in ³	25-ft ²	YES	NO	NO	*\$36.97
Kidde PRO-210	6-Yrs.	15625-in ³	25-ft ²	YES	NO	NO	*\$47.97
Kidde Full Home	10-Yrs.	24389-in ³	100-ft ²	YES	NO	NO	*\$39.97
Kidde PRO-340	6-Yrs.	24389-in ³	100-ft ²	YES	NO	NO	*\$54.97
Kidde PRO-460	6-Yrs.	32768-in ³	150-ft ²	YES	NO	NO	*\$75.00
Ansul K-Guard	6-Yrs.	15625-in ³	NONE	NO	NO	37.85-Liters	^\$294.00

*HOME DEPOT

^ASUL- Refillable

¹ All Kidde units are disposable

PORTABLE EXTINGUISHER COST COMPARISON WITH ABC DRY CHEMICAL EXTINGUISHERS

20-Year WARRANTY MODEL	FireStopper® VOL./SIZE WT.	CLASS "A" COVERAGE	CLASS "B" COVERAGE	C- RATED 100KV	EFFECTIVE/RATED "D"	CLASS "K" COVERAGE	COST (MSRP)
PFE-101	400-ml/1-lbs.	5280-in ³	7-ft ²	YES	YES	25-Liters	63.00 \$89.99
PFE-102	400-ml/1-lbs.	5280-in ³	7-ft ²	YES	YES	25-Liters	70.00 \$99.99
PFE-103CAVS	1-Liter/2.7-lbs.	8360-in ³	18.5-ft ²	YES	YES	40-Liters	105.00 \$149.99
PFE-103-CAV	1-Liter/2.7-lbs.	8360-in ³	18.5-ft ²	YES	YES	40-Liters	112.00 \$159.99
PFE-1LRS	1.5-Liter/4-Lbs.	13860-in ³	30-ft ²	YES	YES	75-Liters	133.00 \$189.99
PFE-1LR	1.5-Liter/4-Lbs.	13860-in ³	30-ft ²	YES	YES	75-Liters	140.00 \$199.99
PFE-3LCS	3-Liter/8-Lbs.	22528-in ³	>48.6-ft ²	YES	YES	>75-liters	168.00 \$239.99
PFE-3LC	3-Liter/8-Lbs.	22528-in ³	>48.6-ft ²	YES	YES	>75-liters	156.00 \$259.99
PFE-6LCS	6-Liter/16-Lbs.	36388-in ³	>62-ft ²	YES	YES	>75-liters	210.00 \$299.99
PFE-6LC	6-Liter/16-Lbs.	36388-in ³	>62-ft ²	YES	YES	>75-liters	224.00 \$319.99
PFE-10LCS	10-Liter/27-Lbs.	46640-in ³	>79-ft ²	YES	YES	>75-liters	317.85 \$489.99
PFE-10LC	10-Liter/27-Lbs.	46640-in ³	>79-ft ²	YES	YES	>75-liters	357.00 \$509.99



COMPETITIVE COMPARISON WITH ALL AFFF

PRODUCT	CERTIFIED USAGE	APPLICATION RATE/ APPROX. AREA	APPROX. EXTINGUISHMENT TIME	AFFF	APPLICATION RATE/ APPROX. AREA	APPROX. EXTINGUISHMENT TIME
AB 40002 FFC	6%	90/GPM/1000-ft ²	<15-secs	6%	90/GPM/1000-ft ²	4 to 6-min
XL FFC	3%; 6%	90/GPM/1000-ft ²	<10-secs	3%	90/GPM/1000-ft ²	4 to 6-min
XL "PLUS" FFC	1%; 3%; 6%	90/GPM/1000-ft ²	<5-secs	1%	90/GPM/1000-ft ²	4 to 6-min

ECONOMIC COMPARISON

PRODUCT	COST BY USAGE	AFFF (Chemguard)	COST BY USAGE
AB 40002 FFC	1-min@90/GPM/1000-ft ² @ \$60.95/gal=\$329.13÷4= \$82.28	6%	1-min@90/GPM/1000-ft ² @ \$20.95*/gal=\$113.13x4= \$452.52
XL FFC	1-min@90/GPM/1000-ft ² @ \$74.95/gal=\$374.75÷6= \$62.45	3%	1-min@90/GPM/1000-ft ² @ \$32.99*/gal=\$171.54x4= \$686.19
XL "PLUS" FFC	1-min@90/GPM/1000-ft ² @ \$97.50/gal=\$487.50÷6= \$40.62	1%	1-min@90/GPM/1000-ft ² @ \$44.20*/gal=\$229.84x4= \$919.36

*ALL CHEMGUARD FOAM UNIT PRICING ACQUIRED FROM AMAZON.COM

PRODUCT EFFICACY COMPARISON
FireStopper® XL FFC vs. Tyco Chemguard
Fracking Pump Vehicle Protection
Flammable Area Simulation
(Commissioned by Lewis Energy Group)

PRODUCT	SIMULATED FIRE AREA	NOZZLES	FUEL	CONCLUSION
FireStopper® XL FFC @ 3%	8'X8'X8'	8	Diesel and Gasoline	FireStopper® XL FFC @ 3% extinguished the fire in approx. 2.6-sec <ul style="list-style-type: none"> Total spray time: <5-sec
Tyco/Chemguard AFFF @ 3%	"	"	"	Chemguard @ 3% extinguished the fire in approx. 13-sec <ul style="list-style-type: none"> Total spray time: approx. 19-sec

Additional Information:

An attempt to reignite the extinguished fuel on both exercises (not shown)

Result:

FireStopper®: no re-ignition possible

Chemguard: once flame was applied to exposed fuel re-ignition was obtained; foam closed the opened gap and fuel was extinguished

FULL VIDEO COMPARISON AVAILABLE UPON REQUEST

Please see photo sequence below:

FireStopper®



Video: @ 0 seconds



@ 2 seconds



@ 3 seconds

Tyco/Chemguard



Video: @ 0 seconds



@ 4 seconds



@ 17 seconds

FireStopper® Portable Extinguisher Comparison

(Aviation Application)

PFE-101 (400-ml Fog Spry Type Nozzle)

Vs.

H₃R Aviation's Model: RT-A400

(.9-lb Halon 1211-1301 Blend Typical use: Cockpit/Cabin)

<i>PRODUCT</i>	<i>SIMULATED FIRE AREA</i>	<i>NOZZLES</i>	<i>FUEL</i>	<i>CONCLUSION</i>
<i>FireStopper® PFE-101</i>	<i>2-B</i>	<i>Fog/Spray</i>	<i>1-gal Jet-A & Av-Gas</i>	<ul style="list-style-type: none">• <i>FireStopper® PFE-101 Extinguisher controlled the fire in < 1 sec. fully extinguish the fire in < 5 secs.</i>• <i>No re-ignition of fuel possible</i>• <i>Total spray time 6-seconds</i>
<i>H₃R Aviation Model: RT-A400</i>	<i>“</i>	<i>Standard Halon Application</i>	<i>“</i>	<ul style="list-style-type: none">• <i>Extinguishment was attempted for 17 secs till empty</i>• <i>Failed to extinguish the fire</i>• <i>The area was fully engulfed in fire</i>• <i>Total spray time 17-seconds</i>•

H₃R Aviation
Model: RT-A400



1-sec



8-secs



12-secs



14-secs

**FireStopper®
PFE-101**



1-sec



2-secs



4-secs



5-secs